

---

# **PyBuilder Pip Tools Documentation**

***Release 1.1.0***

**VIB/BEG/UGent, Tim Diels**

**Jan 30, 2017**



---

## Contents

---

<b>1</b>	<b>User documentation</b>	<b>3</b>
<b>2</b>	<b>Developer documentation</b>	<b>5</b>
2.1	Project decisions . . . . .	5
<b>3</b>	<b>Changelog</b>	<b>7</b>
3.1	1.1.0 . . . . .	7
3.2	v1.0.1 . . . . .	7
3.3	v1.0.0 . . . . .	7
<b>4</b>	<b>Indices and tables</b>	<b>9</b>



Contents:



# CHAPTER 1

---

## User documentation

---

PyBuilder Pip Tools is a PyBuilder plugin which generates `*requirements*.txt` files from your project plugin/build/install dependencies and keeps your virtual env in sync with them. This is achieved with `pip-compile` and `pip-sync` from [pip-tools](#). No distinction is made between plugin and build dependencies; plugin dependencies are treated as build dependencies.

The plugin adds the `pip_sync` task and 2 project properties: `$pybuilder_pip_tools_urls` and `$pybuilder_pip_tools_build_urls`. The properties allow specifying dependency urls for regular and build/plugin dependencies respectively:

```
project.build_depends_on('pybuilder', '>0.9.0')
project.get_property('pybuilder_pip_tools_build_urls').extend([
    'git+https://github.com/pybuilder/pybuilder.git#egg=pybuilder-0'
])
```

Urls must have a fragment containing `egg={pkg_name}-{version}`. `version` is unused and can be set to 0, `pkg_name` must match one of the project's (build) dependencies.

The `pip_sync` task first generates these requirements files (with `pip-compile`):

**requirements.txt** Requirements file generated by `pip-compile` using `project.dependencies` (including their version constraints; as specified by `project.depends_on`) as `requirements.in` file.

**requirements\_development.txt** Analog to `requirements.txt`, but override `project.dependencies` with their url in `$pybuilder_pip_tools_urls`, if any.

**build\_requirements.txt** Analog to `requirements.txt`, using `project.build_dependencies` (`project.build_depends_on`) + `project.plugin_dependencies` instead.

**build\_requirements\_development.txt** Analog to `requirements.txt`, using `project.build_dependencies`, `project.plugin_dependencies` and `$pybuilder_pip_tools_urls` instead.

For example, for the snippet above this would generate:

- `build_requirements.txt`:

```
pybuilder==0.9.1 # some version >0.9.0
# pybuilder dependencies, also pinned
```

- build\_requirements\_development.txt:

```
-e git+https://github.com/pybuilder/pybuilder.git#egg=pybuilder-0>0.9.0
# pybuilder dependencies, pinned
```

Note: ``pip-compile`` only supports ``-e`` urls, so ``-e`` is prepended.

- requirements.txt: empty, no project.dependencies specified.
- requirements\_development.txt: empty, no project.dependencies specified.

Finally, pip\_sync runs:

```
pip-sync requirements_development.txt build_requirements_development.txt
```

The non-development requirements files may come in handy for syncing on a test/build server (E.g. travis, GitLab) or for deployment (E.g. making a self-contained executable).

# CHAPTER 2

---

## Developer documentation

---

Documentation for developers/contributors of the project.

### 2.1 Project decisions

*python.distutils* plugin generates `setup(dependency_links=...)` from `project.depends_on(url=.. .)`. `dependency_links` is deprecated and we do not want urls to show up in `setup.py`, so we opt to add 2 properties `*_urls` instead of using `depends_on(url=...)`.

No error is raised when plugin and build requirements conflict. No public function exists to check whether the intersection of 2 specifier sets is empty. Implementing such a function would take much effort judging by the length of the specification of version specifiers, while the issue isn't too hard for a human to figure out when pip-sync inevitably fails to find a matching version.



# CHAPTER 3

---

## Changelog

---

Semantic versioning is used.

### 3.1 1.1.0

- Enhancement: include plugin dependencies in `build_requirements*.txt` files.

### 3.2 v1.0.1

- Host documentation on <https://readthedocs.io> instead of <https://pythonhosted.org>.

### 3.3 v1.0.0

Initial release.



# CHAPTER 4

---

## Indices and tables

---

- genindex
- modindex
- search